

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads.

**Doors are rated by Design Loads, not Miles Per Hour.**

**ROCKCREEKE SWINGOUT NO BUCKS & ACCORDIAN WIND LOAD DOORS**

10' WIDE	P-2306-A NOT IMPACT-RATED							EXPOSURE			Approvals			
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES							B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	Design Load	Windows	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH				
					7	8	9	10	MPH	MPH	MPH			
+ 31.0 - 35.0	No	8	3					170	160	150	FL 14092	FL 14092	Not Avail.	Not Avail.
		9	3					180						
		10	3					180						
	Yes	8	3	170										
		9	3	180										
		10	3	180										

MRH = Mean Roof Height

18' WIDE	P-2307-A NOT IMPACT-RATED							EXPOSURE			Approvals			
	(1) REMOVABLE POST; (1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES							B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	Design Load	Windows	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH				
					7	8	9	10	MPH	MPH	MPH			
+ 29.7 - 33.1	No	8	3			N/A	N/A	170	150	150	FL 14092	FL 14092	Not Avail.	Not Avail.
		9	3					180	160					
		10	3											
		16	3											
		18	3											
	Yes	8	3			N/A	N/A	170	150	150				
		9	3					180	160					
		10	3											
		16	3											
		18	3											

MRH = Mean Roof Height

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads.

**Doors are rated by Design Loads, not Miles Per Hour.**

**ROCKCREEKE BIFOLD & SWINGOUT WITH 'A' OR 'V' BUCKS WIND LOAD DOORS**

10' WIDE	P-2306-A NOT IMPACT-RATED							EXPOSURE			Approvals			
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES							B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	Design Load	Windows	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH				
					7	8	9	10	MPH	MPH	MPH			
+ 31.0 - 35.0	No	8	3					170	160	150	FL 14092	FL 14092	Not Avail.	Not Avail.
		9	3					180						
		10	3					180						
	Yes	8	3	170										
		9	3	180										
		10	3	180										

MRH = Mean Roof Height

18' WIDE	P-2307-A NOT IMPACT-RATED							EXPOSURE			Approvals			
	(1) REMOVABLE POST; (1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES							B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	Design Load	Windows	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH				
					7	8	9	10	MPH	MPH	MPH			
+ 29.7 - 33.1	No	8	3			N/A	N/A	170	150	150	FL 14092	FL 14092	Not Avail.	Not Avail.
		9	3					180	160					
		10	3											
		16	3											
		18	3											
	Yes	8	3			N/A	N/A	170	150	150				
		9	3					180	160					
		10	3											
		16	3											
		18	3											

MRH = Mean Roof Height

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads.

**Doors are rated by Design Loads, not Miles Per Hour.**

**ROCKCREEKE SWINGOUT WITH 'X' BUCKS WIND LOAD DOORS**

10' WIDE	P-2306-A NOT IMPACT-RATED							EXPOSURE			Approvals			
	(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES							B	C	C	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
	Design Load	Windows	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH				
					7	8	9	10	MPH	MPH	MPH			
+ 31.0 - 35.0	No	8	3					170	160	150	FL 14092	FL 14092	Not Avail.	Not Avail.
		9	3					180						
		10	3					180						
		8	3					170						

	Yes	9	3		N/A	180					
		10	3								

MRH = Mean Roof Height

18' WIDE	P-2307-A NOT IMPACT-RATED							EXPOSURE			Approvals				
	(1) REMOVABLE POST; (1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES							B	C	C					
	Design Load	Windows	Door Width	Qty. Center Stiles	Door Height				<30' MRH	<15' MRH	<25' MRH	FBC 2014	FBC 2010	Dade County	Texas Dept. of Ins.
					7	8	9	10	MPH	MPH	MPH				
+ 29.7 - 33.1	No	8	3			N/A	N/A	170	150	150	FL 14092	FL 14092	Not Avail.	Not Avail.	
		9	3						160						
		10	3												
		16	3												
	18	3													
	Yes	8	3			N/A	N/A	170	150	150					
		9	3						160						
		10	3												
16		3													
18	3														

MRH = Mean Roof Height