Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads. Wind speeds in the charts are Ultimate Design Wind Speeds for International Building Code (IBC) 2012 and Florida Building Code (FBC) 2010 only and not for FBC 2007.

Doors are rated by Design Loads, not Miles Per Hour.

TRADITIONS WIND LOAD DETAILS - SHOWCASE/MASTERPIECE

8' WIDE

P-1368-F NOT IMPACT-RATED									EXPOSURE			Approvals			
(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 50.7 - 50.7	+ 48.0 - 48.0	+ 46.7 - 46.7	8	1	all sizes shown are available				200	200	190	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

9' WIDE

P-2312-A NOT IMPACT-RATED									EXPOSURE			Approvals			
NO TRUSSING; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 12.8 - 14.5	N/A	N/A	8 9	1 1	all sizes shown are available				115	100	90	Not Avail.	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

9' WIDE

P-1303-F NOT IMPACT-RATED									EXPOSURE			Approvals			
(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 40.0 - 40.0	+ 37.3 - 37.3	+ 37.3 - 37.3	8 9	1 1	all sizes shown are available				180	160	150	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

9' WIDE

P-3325 IMPACT-RATED									EXPOSURE			Approvals			
(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILE									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 41.6 - 47.1	N/A	N/A	8 9	1 1	all sizes shown are available				200	180	170	FL 14529	FL 14529	Not Avail.	Pending

Doors that contain 24" sections do not comply with the product approvals issued by Florida; this includes 9' high doors.

MRH = Mean Roof Height

9' WIDE

P-1305-F NOT IMPACT-RATED									EXPOSURE			Approvals			
(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 53.3 - 53.3	+ 53.3 - 53.3	+ 52.0 - 52.0	8 9	1 1	all sizes shown are available				200	200	200	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

9' WIDE

P-3305-A IMPACT-RATED									EXPOSURE			Approvals			
(2) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILE									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 52.0 - 58.0	N/A	N/A	8 9	3 3	all sizes shown are available				200	200	200	Pending	Not Avail.	NOA 08-0709.12	Not Avail.

Doors that contain 24" sections do not comply with the product approvals issued by Dade County; this includes 9' high doors.

MRH = Mean Roof Height

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads. Wind speeds in the charts are Ultimate Design Wind Speeds for International Building Code (IBC) 2012 and Florida Building Code (FBC) 2010 only and not for FBC 2007.

Doors are rated by Design Loads, not Miles Per Hour.

TRADITIONS WIND LOAD DETAILS - SHOWCASE/MASTERPIECE

9' WIDE

P-3312 IMPACT-RATED										EXPOSURE			Approvals			
(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 65.0 - 75.0	N/A	N/A	8 9	3 3	all sizes shown are available					200	200	200	FL 15212	Not Avail.	NOA 10-0420.01	Pending

Doors that contain 24" sections do not comply with the product approvals issued by Dade County; this includes 9' high doors.

MRH = Mean Roof Height

10' WIDE

P-1339-E NOT IMPACT-RATED										EXPOSURE			Approvals			
(1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 30.7 - 30.7	+ 30.7 - 30.7	+ 30.7 - 30.7	10	1	all sizes shown are available					170	150	140	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

10' WIDE

P-1344-E NOT IMPACT-RATED										EXPOSURE			Approvals			
(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 40.0 - 40.0	+ 40.0 - 40.0	+ 38.7 - 38.7	10	1	all sizes shown are available					190	170	160	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

12' WIDE

P-3312 IMPACT-RATED										EXPOSURE			Approvals			
(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 56.4 - 65.1	N/A	N/A	10 12	3 3	all sizes shown are available					200	200	200	FL 15212	Not Avail.	NOA 10-0420.01	Pending

Doors that contain 24" sections do not comply with the product approvals issued by Dade County; this includes 9' high doors.

MRH = Mean Roof Height

16' WIDE

P-2313-A NOT IMPACT-RATED										EXPOSURE			Approvals			
(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 12.3 - 13.7	N/A	N/A	10 12 14 15 16	1 2 2 2 3	all sizes shown are available					115	100	90	Not Avail.	Not Avail.	Not Avail.	Not Avail.

MRH = Mean Roof Height

16' WIDE

P-1309-E NOT IMPACT-RATED										EXPOSURE			Approvals			
(1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 20.0 - 20.0	+ 18.7 - 18.7	+ 18.7 - 18.7	15 16	2 3	all sizes shown are available					130	120	110	Not Avail.	FL 5306	Not Avail.	Not Avail.

MRH = Mean Roof Height

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads. Wind speeds in the charts are Ultimate Design Wind Speeds for International Building Code (IBC) 2012 and Florida Building Code (FBC) 2010 only and not for FBC 2007.

Doors are rated by Design Loads, not Miles Per Hour.

TRADITIONS WIND LOAD DETAILS - SHOWCASE/MASTERPIECE

16' WIDE

P-1312-E NOT IMPACT-RATED										EXPOSURE			Approvals			
(2) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 24.0 - 24.0	+ 18.7 - 18.7	+ 18.7 - 18.7	15	2	all sizes shown are available					130	120	110	Not Avail.	FL 5306	Not Avail.	GDR-05
			16	3												

MRH = Mean Roof Height

16' WIDE

P-3324 IMPACT-RATED										EXPOSURE			Approvals			
(1) 20 GAGE BOX STRUT PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 29.7 - 33.1	N/A	N/A	8	3	all sizes shown are available					170	150	150	FL 14529	FL 14529	Not Avail.	Pending
			9	3							160					
			10	3												
			12	3												
			14	3												
			15	3												
			16	3						180						

Doors that contain 24" sections do not comply with the product approvals issued by Florida; this includes 9' high doors.

MRH = Mean Roof Height

16' WIDE

P-1313 NOT IMPACT-RATED										EXPOSURE			Approvals			
(2) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 36.0 - 36.0	+ 25.3 - 25.3	N/A	15	2	all sizes shown are available					150	140	130	Pending	FL 5306	Not Avail.	GDR-05
			16	3												

MRH = Mean Roof Height

16' WIDE

P-1378-E NOT IMPACT-RATED										EXPOSURE			Approvals			
(1) REMOVABLE POST; (1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 36.7 - 36.7 (7' Ht) + 30.0 - 30.0 (8' Ht)	N/A	N/A	15	5	only 7' & 8' high are available					190 (7' Ht) 170 (8' Ht)	170 (7' Ht) 150 (8' Ht)	160 (7' Ht) 140 (8' Ht)	Not Avail.	FL 5306	Not Avail.	GDR-05
			16	7												

MRH = Mean Roof Height

16' WIDE

P-1381-E NOT IMPACT-RATED										EXPOSURE			Approvals			
(2) REMOVABLE POST; (1) 20 GAGE UBAR PER SECTION; SINGLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 47.3 - 47.3 (7' Ht) + 43.3 - 43.3 (8' Ht)	N/A	N/A	15	5	only 7' & 8' high are available					200	190 (7' Ht) 180 (8' Ht)	180 (7' Ht) 170 (8' Ht)	Not Avail.	FL 5306	Not Avail.	GDR-05
			16	7												

MRH = Mean Roof Height

16' WIDE

P-3312 IMPACT-RATED										EXPOSURE			Approvals			
(1) 20 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES										B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10		<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 45.0 - 52.0	N/A	N/A	14	3	all sizes shown are available					200	200	190	FL 15212	Not Avail.	NOA 10-0420.01	Pending
			15	3												
			16	3												

Doors that contain 24" sections do not comply with the product approvals issued by Dade County; this includes 9' high doors.

MRH = Mean Roof Height

Wind speed in Miles Per Hour (MPH) is for reference purposes only; reference the wind speed conversion charts for exact Design Loads or consult local Authority Having Jurisdiction (AHJ) to insure the door being specified meets the required Design Loads. Wind speeds in the charts are Ultimate Design Wind Speeds for International Building Code (IBC) 2012 and Florida Building Code (FBC) 2010 only and not for FBC 2007.

Doors are rated by Design Loads, not Miles Per Hour.

TRADITIONS WIND LOAD DETAILS - SHOWCASE/MASTERPIECE

18' WIDE

P-1321-E NOT IMPACT-RATED									EXPOSURE			Approvals			
(2) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 24.0 - 24.0	+ 20.0 - 20.0	+ 20.0 - 20.0	18	3	only 7' high is available				140	120	120	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

18' WIDE

P-1320-E NOT IMPACT-RATED									EXPOSURE			Approvals			
(2) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 28.0 - 28.0	N/A	N/A	18	3	only 7' high is available				160	150	140	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

18' WIDE

P-1380-E NOT IMPACT-RATED									EXPOSURE			Approvals			
(1) REMOVABLE POST; (1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 36.7 - 36.7 (7' Ht) + 33.0 - 33.0 (8' Ht)	N/A	N/A	18	7	only 7' & 8' high are available				190 (7' Ht) 180 (8' Ht)	170 (7' Ht) 160 (8' Ht)	160 (7' Ht) 150 (8' Ht)	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

18' WIDE

P-1384-E NOT IMPACT-RATED									EXPOSURE			Approvals			
(2) REMOVABLE POST; (1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 47.3 - 47.3 (7' Ht) + 43.5 - 43.5 (8' Ht)	N/A	N/A	18	7	only 7' & 8' high are available				200	190 (7' Ht) 180 (8' Ht)	180 (7' Ht) 170 (8' Ht)	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

18' WIDE

P-3309-A IMPACT-RATED									EXPOSURE			Approvals			
(2) REMOVABLE POST; (1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 45.3 - 51.2	N/A	N/A	16 18	7 7	only 7' & 8' high are available				200	200	190	Pending	Not Avail.	NOA 08-0709.10	Not Avail.

MRH = Mean Roof Height

18' WIDE

P-1327-B NOT IMPACT-RATED									EXPOSURE			Approvals			
(3) REMOVABLE POST; (1) 18 GAGE UBAR PER SECTION; SINGLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 56.7 - 62.7	N/A	N/A	18	7	only 7' & 8' high are available				200	200	200	Not Avail.	FL 5306	Not Avail.	GDR-05

MRH = Mean Roof Height

18' WIDE

P-3314 IMPACT-RATED									EXPOSURE			Approvals			
(1) 18 GAGE BOX STRUT PER SECTION; DOUBLE ENDSTILES									B	C	C				
Design Load (No Glass)	Design Load (Colonial Glass)	Design Load (Ranch Glass)	Door Width	Qty. Center Stiles	Door Height 7	8	9	10	<30' MRH MPH	<15' MRH MPH	<25' MRH MPH	FBC 2010	FBC 2007	Dade County	Texas Dept. of Ins.
+ 43.5 - 50.0	N/A	N/A	18	5	only 7' & 8' high are available				200	190	180	FL 15212	Not Avail.	NOA 10-0921.05	Pending

Doors that contain 24" sections do not comply with the product approvals issued by Dade County; this includes 9' high doors.

MRH = Mean Roof Height